
Provider Nu	ımber	Hospital Name	Address 1
340158	BRUNSV	VICK COMMUNITY HOSPITAI	1 MEDICAL CENTER DR PO BOX 139

Page 1 of 18 05/31/2011

Address 2	Address 3	City	State
		SUPPLY	NC

Page 2 of 18 05/31/2011




28462 **BRUNSWICK**

> Page 3 of 18 05/31/2011

Percent of Surgery Patients given an antibiotic at the right time (within one hour before surgery) to help prevent infection

Page 4 of 18 05/31/2011



Page 5 of 18 05/31/2011

Percent of Surgery Patients whose preventive antibiotics were stopped at the right time (within 24 hours after surgery)

Page 6 of 18 05/31/2011



220

Page 7 of 18 05/31/2011

Percent of Surgery Patients who were given the right kind of antibiotic to help prevent infection

Page 8 of 18 05/31/2011



233

Page 9 of 18 05/31/2011

Percent of Surgery Patients who got treatment at right time (within 24 hours before or after surgery) to help prevent blood clot

Page 10 of 18 05/31/2011



134

Page 11 of 18 05/31/2011

Percent of Surgery Patients whose doctors ordered treatments to prevent blood clots after certain types of surgeries

Page 12 of 18 05/31/2011




134

Page 13 of 18 05/31/2011

Percent of all Heart Surgery Patients whose blood sugar is kept under good control in the days right after surgery

N/A

Page 14 of 18 05/31/2011



Page 15 of 18 05/31/2011

Percent of Surgery Patients needing hair removed from the surgical area before surgery who had hair removed using a safer method

Page 16 of 18 05/31/2011

Number of Patients-8	Footnote-8	Outpatients having surgery who got an antibiotic at the right time - within one hour before surgery (higher numbers are better)
307		96%

Page 17 of 18 05/31/2011

Surgery patients who were taking heart drugs called beta blockers before coming to the	Outpatients having surgery who got the right kind of antibiotic (higher
hospital, who were kept on them	numbers are better)
100%	88%

Page 18 of 18 05/31/2011